

Central Bureau for Astronomical Telegrams
INTERNATIONAL ASTRONOMICAL UNION

Mailstop 18, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.
 IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)
 CBAT@CFA.HARVARD.EDU (science)
 URL <http://cfa-www.harvard.edu/iau/cbat.html> ISSN 0081-0304
 Phone 617-495-7440/7244/7444 (for emergency use only)

COMET P/2005 J1 (McNAUGHT)

R. H. McNaught reports his discovery of a comet with the 0.5-m Upsala Schmidt telescope in the course of the Siding Spring Survey; the discovery images (initial observation provided below) show the object as diffuse, and images taken on May 5.7 UT show it to be slightly diffuse with a faint tail $\sim 10''$ long to the west. Following posting on the 'NEO Confirmation Page, A. C. Gilmore reports that CCD images taken on May 5.5–5.7 with the Mt. John 1.0-m reflector show the object to be slightly more diffuse than the images of surrounding stars.

2005 UT	α_{2000}	δ_{2000}	Mag.
May 3.72216	20 ^h 15 ^m 57.78 ^s	−28°50′37.9″	17.6

The available astrometry, the following preliminary elliptical orbital elements, and an ephemeris appear on *MPEC* 2005-J32.

$$\left. \begin{array}{l}
 T = 2005 \text{ Apr. } 17.402 \text{ TT} \quad \omega = 338.980 \\
 e = 0.58018 \quad \Omega = 268.928 \\
 q = 1.53305 \text{ AU} \quad i = 31.824
 \end{array} \right\} 2000.0$$

$$a = 3.65166 \text{ AU} \quad n^\circ = 0.141244 \quad P = 7.0 \text{ years}$$

V1187 SCORPII

D. K. Lynch, R. W. Russell, and R. J. Rudy, Aerospace Corporation, report that spectroscopy (range 0.8–2.5- μm) of V1187 Sco (cf. *IAUC* 8380, 8382), taken with the Infrared Telescope Facility (+ SpeX) on Apr. 18.7 UT, shows that the object had faded considerably ($K = 13.2$ from the spectrum) and that the lines were still broad. H I and He I 1.0830- and 2.0581- μm were present (2900 km/s FWHM), as were some weak He II lines. There was a surprising lack of coronal lines, although the [Si VI] 1.9645- μm line was strong and appeared to be split into two strong, well-separated components. The unidentified novae lines at 1.19 and 1.55 μm were present. There was no evidence of thermal emission from dust.

COMET C/1997 J5 (SOHO)

Another faint Kreutz sungrazer (cf. *IAUC* 8524), stellar in appearance:

Comet	1997 UT	α_{2000}	δ_{2000}	Inst.	F	<i>MPEC</i>
C/1997 J5	May 2.197	2 ^h 48 ^m .8	+12°03′	C3	RK	2005-H24