

**Central Bureau for Astronomical Telegrams  
INTERNATIONAL ASTRONOMICAL UNION**

Mailstop 18, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.  
IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)  
CBAT@CFA.HARVARD.EDU (science)  
URL <http://cfa-www.harvard.edu/iau/cbat.html> ISSN 0081-0304  
Phone 617-495-7440/7244/7444 (for emergency use only)

*SUPERNOVA 2005dj IN UGC 3545*

T. Boles, Coddendam, England, reports the discovery of an apparent supernova (mag 16.6) on unfiltered CCD images taken on Aug. 18.086 and 19.001 UT with a 0.35-m reflector. The new object is located at  $\alpha = 6^{\text{h}}49^{\text{m}}58^{\text{s}}.41$ ,  $\delta = +61^{\circ}37'08''.5$  (equinox 2000.0), which is  $\approx 20''.0$  east and  $16''.5$  south of the center of UGC 3545. Nothing is visible at this location on Boles' images from 2005 Apr. 3 and Jan. 2 (limiting mag 19.5) or on Digitized Sky Survey images from 1998 (limiting red mag 21.0) and 1995 (limiting blue mag 20.0).

*SUPERNOVAE 2005dg AND 2005dh*

M. Salvo, B. Schmidt, T. Davis, and S. Sankarankutty, Australian National University (ANU), report that a spectrogram (range 350–900 nm), obtained with the ANU 2.3-m telescope (+ Double-Beam Spectrograph) on Aug. 15.40 UT, shows SN 2005dh (*IAUC* 8583) to be a type-Ia supernova near maximum light; adopting the NED recession velocity for the host galaxy (from the RC3 Catalogue) the expansion velocity of the Si II 635.5-nm line is around 16600 km/s. A spectrogram (range 340–900 nm), obtained on Aug. 16.70, shows SN 2005dg (*IAUC* 8581) to be a type-Ic supernova a few days past maximum light.

*COMETS C/2005 O4, O5, O6, P1, P2 (SOHO)*

K. Battams (Interferometrics, Inc., and Naval Research Laboratory) reports measurements for additional tailless comets found on SOHO website images (cf. *IAUC* 8584); all were Kreutz sungrazers except for C/2005 O5 (Meyer group). All five objects had a stellar appearance except for C/2005 P1 (which appeared very diffuse only in the single C2 image, but stellar in the C3 images, where it reached mag  $\sim 6.1$  at  $12.0R_{\odot}$  on Aug. 6.071 UT). C/2005 O5 and C/2005 P2 were extremely faint. C/2005 O4 reached mag  $\sim 6.5$  at  $12.3R_{\odot}$  on July 24.512. C/2005 O6 reached mag  $\sim 5.5$  at  $10.6R_{\odot}$  on July 26.888.

Comet	2005	UT	$\alpha_{2000}$	$\delta_{2000}$	Inst.	F	MPEC
C/2005 O4	July	23.971	$7^{\text{h}}54^{\text{m}}.6$	$+17^{\circ}35'$	C3	TH	2005-Q04
C/2005 O5		26.079	8 14.6	$+20^{\circ}37'$	C2	TH	2005-Q04
C/2005 O6		26.096	8 01.3	$+16^{\circ}43'$	C3/2	TH	2005-Q04
C/2005 P1	Aug.	5.431	8 39.5	$+14^{\circ}57'$	C3/2	TS	2005-Q04
C/2005 P2		5.431	8 44.3	$+15^{\circ}32'$	C3	TS	2005-Q04