

Central Bureau for Astronomical Telegrams
INTERNATIONAL ASTRONOMICAL UNION

Mailstop 18, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.
IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)
CBAT@CFA.HARVARD.EDU (science)
URL <http://cfa-www.harvard.edu/iau/cbat.html> ISSN 0081-0304
Phone 617-495-7440/7244/7444 (for emergency use only)

SUPERNOVA 2005ea IN MCG +10-16-61

D. Lane and P. Gray, Stillwater Lake, NS, Canada, report their discovery of an apparent supernova (mag ~ 17.0) on an unfiltered CCD image (cf. *IAUC* 8462) taken on Sept. 6.016 UT, with a confirming image showing the new object at mag ~ 16.3 on Sept. 13.015. SN 2005ea is located at $\alpha = 11^{\text{h}}06^{\text{m}}47^{\text{s}}.89$, $\delta = +57^{\circ}41'07''.5$ (equinox 2000.0), which is $\sim 14''$ west of the nucleus of the galaxy MCG +10-16-61. Nothing is visible at this location on their images taken on Apr. 22 (limiting mag ~ 17.7), June 6 (limiting mag ~ 18.5), and Aug. 18 (limiting mag ~ 17.8), and nothing is present on Digitized Sky Survey images from 1994 (limiting red mag ~ 21.0) and 1988 (limiting blue mag ~ 20.5). A. Sehgal, Osoyoos, BC, Canada, reports that 2005ea appeared at mag 17.2 and at position angle figures $47^{\circ}.89$, $07''.4$ on an unfiltered CCD image taken with a 0.50-m reflector on Sept. 13.12.

V1647 ORIONIS AND ASSOCIATED NEBULA

C. Aspin, Gemini Observatory; and B. Reipurth, University of Hawaii, report on observations made at the Gemini 8-m telescope on Mauna Kea. GMOS optical images obtained on Aug. 30 UT show that V1647 Ori (cf. *IAUC* 8354), upon its re-emergence in the morning twilight, has faded by ≈ 1 magnitude in the r' passband since Jan. 8. McNeil's nebula itself (cf. *IAUC* 8284) has also faded considerably. The duration of the outburst so far exceeds 21 months. Optical spectra still show strong $H\alpha$ emission with blue-shifted absorption. Both the depth and extent of the strong absorption component are less than previously observed, suggesting that the powerful wind is weakening.

COMET 169P/NEAT

M. Jäger, Vienna, reports that his co-added CCD images of this comet (cf. *IAUC* 8578, 8591) taken on Sept. 6.11 and 7.11 UT with a 0.20-m Schmidt telescope, with the comet low in the morning sky, show a coma of diameter $2'-2'.5$ and (on Sept. 7.11) a faint tail $\approx 10'$ long. A. Hale, Cloudcroft, NM, reports that his visual observations on Sept. 12.48 (0.2-m reflector) and 13.47 (0.41-m reflector) show the diffuse comet at total mag 11.5 with a coma diameter of $1'.5$ and some slight condensation. Hale had previously observed the comet in early August, when it appeared as an essentially stellar object of mag $\approx 14.5-15.0$.